

## PREMIUM LASER DETECTORS 2025

**STRUCTOR**-SERIES METOR-SERIES



ULTIMATE PRECISION	
FASTEST RESPONSE TIME	
UNIVERSAL & ROBUST	
HIGH IMMUNITY	
COMMUNICATIVE	
MADE IN GERMANY	

ANDROTEC Premium Laser Detectors feature unrivalled performance and are characterized by tailored functionality, simple operation and excellent reliability.

**User-Friendly.** Two ergonomic LCD displays are clearly readable under all conditions. The strong sound is audible even in loudest environments.

**Ultimate Precision.** All units are individually calibrated during production and hence achieve highest accuracy. The digital readout can be set to all common measurement units.

**Universal.** Our Laser Detectors work with all popular construction lasers. Due to many unique features, they are more universal than conventional devices and hence open new areas of application.

**Robust.** A wide temperature range, mechanical stability and water tightness according to IP67 ensure permanent readiness for duty.

**High Immunity.** Suppression of strobe and stray light, emitted by LED and fluorescent lamps, guarantees an exceptional low level of false triggers without losing compatibility to common lasers.

**Fastest Response Time.** Our detectors for line lasers are the fastest you can get, and First Strike Detection also makes our detectors for rotating lasers fast as lightning.



**Communicative.** Our detectors with radio interface can stream readings online to a second detector, an Android device or a PC for remote display or monitoring applications.

Together with our Vision LZR Lasers they can be used for aligning slopes in one or two axis. In addition, MTR-155RF allows full remote control of all laser functions.

**Proven.** AndroTec develops Laser Detectors for more then 20 years and holds many patents and patent applications in this area.

**Made in Germany.** Thanks to many years of experience in production, all Laser Detectors can be serviced, calibrated and repaired with highest technical qualification.



Series	STRUCTOR	METOR - 60mm		MEIOR - 90mm			METOR - 125mm		METOR - 155mm
Туре	STR-60RG	MTR-55R	MTR-65RGL	MTR-85R	MTR-95RGL	MTR-95RG	MTR-95RF	MTR-125RG / RGF	MTR-155RF
		ACCEPT TO SECOND	2000K	ACCOUNT OF THE PARTY OF THE PAR	Accepted to the second	According to the state of the s	American Service Control of the Cont		
Numerical Display / Sensor Length	-   60 mm	✓   60 mm	✓   60 mm	✓   90mm	✓   90mm	✓   90mm	✓   90mm	✓   125mm	✓   155mm
Operating Range Rotators (Class 2 Laser)	400m	250m	200m	300m	250m	300m	400m	400m	500m
Operating Range Line Lasers (Class 2 Laser)	100m		75m		65m				
Laser Wave Length / Colour	red green	red	red green	red	red green	red green	red	red green	red
Accuracy Levels   from to	4   0,3 - 5mm	3   1 - 5mm	5   0,5 - 10mm	3   1 -5mm	5   0,5 -10mm	5   0,5 - 10mm	7   0,1 - 20mm	5/6   0,5 - 10/20mm	7   0,1 - 20mm
Alterable On-Grade Position			✓		<b>✓</b>	✓	<b>√</b>	<b>✓</b>	✓
Strobe & Stray Light Suppression	++	+++	++	+++	++	++	+++	++	+++
Radio Range   Radio Mode	k Sperious		59: 1				230m   mRF, BLE	RGF: 250m   mRF, BLE	250m   mRF, BLE
Slope Align   Remote Control for Vision LZR							✓   -	RGF: ✓   -	✓   ✓
LCD Backlight							3.1	✓	✓
Power Supply   Battery Life	1xAA   50h	1xAA   60h	1xAA   45h	1xAA   60h	1xAA   45h	1xAA   65h	1xAA   65h	2xAAA   70h	2xAAA   100h
Neodymium Magnets	Тор	Тор	Тор	Тор	Тор	Тор	Тор	Top, Back	Top, Back
User Interface	2 Buttons	2 Buttons	4 Buttons, Menu	2 Buttons	4 Buttons, Menu	4 Buttons, Menu	4 Buttons, Menu, App	4 Buttons, Menu	8 Buttons, Menu, App
Dimensions   Weight	135x69x <mark>25m</mark> m   200g	135x69x25mm   200g	135x69x25mm   200g	135x69x25mm   200g	135x69x25mm   200g	135x69x25mm   200g	135x69x25mm   200g	175x78x31 mm   370g	175x78x31 mm   370g
Typical Applications	Crafts and Trades Interior Work Dry Walling	Crafts and Trades Interior Work Dry Walling Building & Civil Eng.	Crafts and Trades Interior Work Dry Walling Calibration Machine Installation	Crafts and Trades Interior Work Dry Walling Building & Civil Eng.	Crafts and Trades Interior Work Dry Walling Calibration	Crafts and Trades Interior Work Dry Walling Building & Civil Eng.	Building & Civil Eng. Hall Construction Shelf Construction Industrial Construction Calibration Machine Installation Monitoring	Building & Civil Eng. Hall Construction Shelf Construction Industrial Construction RGF: Monitoring	Building & Civil Eng. Hall Construction Shelf Construction Industrial Construction Calibration Machine Installation Monitoring



## Available accessories for our Laser Detectors include:

- Various mounting clamps made of plastic or metal with and without vial
- Android app for remote display applications via BLE (MTR-95RF, MTR-125RGF or MTR-155RF only)
- RF receivers for machine control or real-time data transmission to PCs (MTR-95RF, MTR-125RGF or MTR-155RF only)
- Monitoring software
- XCal calibration software for laser transmitters



## **AndroTec GmbH**

Hauptstrasse 186 D-67714 Waldfischbach-Burgalben

Fon +49 6333 27 55 0 Fax +49 6333 27 55 33

Mail info@androtec.de www.androtec.de

Germany

Rev. 2025-1

Your	Andro <sup>-</sup>	Гес	dea	er

Errors and addenda excepted. Specifications are subject to change without notice.